

## Light Assembly

Due to damage by the courier company we are now shipping the lights with the supports and power supplies unmounted. The light can be assembled in approximately 5 minutes. You don't have to have one, but a 3mm allen/hex key is recommended. I suggest one with a ball end if possible but a normal allen/hex key will work fine. The power supplies are in 2 boxes UNDERNEATH the light.

**IMPORTANT! If you plug the light in and realize you forgot to plug the power supplies into the top of the light or into the power box, you MUST unplug the light and wait 1 minute before plugging them in. NEVER do anything while the light is plugged in or you will damage the light!**



1. First, take the main panel and the supports/fan assembly out of the box



2. Attach the mains power box to the back of the light with 2 of the 20mm bolts and washers.



3. Open up the supports as shown. Remember the fan wires will be plugged into the circuit board – dont install the assembly backwards!



4. Place the assembly on the main panel as shown.



5. Line up the holes in the assembly with the holes in the side of the main panel and fasten in place with 4 x 20mm bolts and washers. **LIGHTLY** tighten. **DO NOT** tighten with force to avoid damaging the plastic.



5. Take the power supplies out of the box.




6. Remove the 4 screws and washers from the supports.




7. The power supplies have “L” and “R” marked on them for left and right. This lettering can be



removed after assembly with a little rubbing alcohol. Put the power supplies on the supports (the letters should be at the front of the light) and use the screws and washers to attach them. You can finger tighten them or use the hex key – There is no need to tighten them hard, you just want them tight enough that the power supply doesn't move.



8. Plug the power supplies and fans in to the top of the light as shown above. They can only be plugged in one way.



9. Finally plug the other leads from the power supplies into the mains power box at the back of the light. Again these can only be inserted one way. Push them in until they click into place.

**Congratulations your light is now ready to use. Happy growing!**